EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	869	370/475.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:51
L3	808	2 and(@ad< ="20030311" or @rlad< ="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:51
L4	1851	370/474.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:53
L5	4701	370/338.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:53
L6	2947	370/328.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:53
L7	6897	370/401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:54
L8	340	455/426.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:54
L9	1819	nat and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:55
L10	1523	4 and(@ad< ="20030311" or @rlad< ="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:58
S1	4276	370/389.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 13:40

S3	314	370/536.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 12:14
S14	5496	370/352.ccls..	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 07:18
S22	89	370/913.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:24
S23	14	370/913.ccls.and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:24
S26	16050	(transmit$4 and receiv$3) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 14:38
S27	6496	S26 and frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:02
S28	1123	S27 and service adj set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:02
S29	944	S28 and(mac or (medium adj access adj control))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:07
S30	393	S29 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:37
S31	0	"10242635".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:00
S32	8	"242635".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:01

S33	6	"242632".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:01
S34	89	S29 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 14:38
S35	16050	(transmit$4 and receiv$3) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 08:11
S36	6496	S35 and frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 08:11
S37	1123	S36 and service adj set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 08:11
S38	944	S37 and(mac or (medium adj access adj control))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 08:11
S39	65	S38 and(@ad<="20030311" or @rlad<="20030311") and pda and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 08:27
S40	51	S38 and(@ad<="20030311" or @rlad<="20030311") and primary and secondary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:16
S41	78	S38 and(@ad<="20030311" or @rlad<="20030311") and primary and (secondary or pda)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:16
S44	2691	router and wlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 07:45
S45	1	router and wlan and (basic adj ssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 07:46

S46	321	router and wlan and (basic adj service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 15:07
S47	27	S46 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 10:12
S48	68	(modem with emulat$3).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 08:54
S49	6	S48 and "455"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 08:54
S50	58	("20020071413" | "20020090593" | "20020090953" | "20020128000" | "20020142652" | "20020181510" | "20020191575" | "20030008644" | "20030032434" | "20030109284" | "20030142652" | "20030174682" | "20030235175" | "20040004951" | "20040053602" | "20040203638" | "20040204071" | "20040220995" | "20040224682" | "5231634" | "6014568" | "6026304" | "6154172" | "6208861" | "6463289" | "6553233" | "6560642" | "6804532").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 09:46
S51	405	router and "802.11" and ((first adj basic adj service)or BSSID or SSID) and ((second adj basic adj service) or BSSID or SSID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 10:11
S52	405	router and "802.11" and ((first adj (basic adj service)or BSSID or SSID)) and ((second adj (basic adj service) or BSSID or SSID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 10:12

S53	49	S51 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 15:38
S54	49	S52 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 12:17
S55	2	"20020059453".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 12:18
S58	2	"20020172186".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 12:21
S59	2	"20020168993".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 12:42
S60	2	"20050122927 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 13:09
S61	2	"20060120334 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 13:58
S62	2	"20050135304 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 09:40
S63	3	"6618369 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 14:00
S64	14	first adj2 (((internet adj2 protocol) or ip) adj2 address) and (basic adj service adj set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 15:46
S65	106	wlan adj2 router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 15:37

S66	20	S65 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 15:38
S67	13	first adj2 (((internet adj2 protocol) or ip) adj2 address) and (basic adj service adj set) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 16:18
S68	12	(first adj2 (((internet adj2 protocol) or ip) adj2 address)) and (basic adj service adj set) and "802.11" and (second adj2 (((internet adj2 protocol) or ip) adj2 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 07:59
S70	2	"6791962 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 10:02
S71	0	"10621557 ".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 10:03
S72	5	"621557 ".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 12:24
S73	123377	nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 12:43
S74	4077	(internet adj2 connection ad2 sharing) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 12:44
S75	2019	(internet adj2 connection ad2 sharing) and "802.11" and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 12:44
S76	893	S75 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 14:29
S80	435	(connect$4 same pda same internet same computer and "802.11") and (@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 14:43

S81	0	(connect$4 same pda same internet same (another or second) adj2 computer and "802.11") and (@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 14:43
S82	435	(connect$4 same pda same internet same computer and "802.11") and (@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 11:03
S83	34	(connect$4 same pda same internet same computer and "802.11") and (@ad<="20030311" or @rlad<="20030311") and ad $hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 17:36
S84	37	(connect$4 same pda same internet same (computer or laptop) and "802.11") and (@ad<="20030311" or @rlad<="20030311") and ad $hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 07:07
S85	113	(connect$4 same pda same (internet or network or sever) same (computer or laptop) and "802.11") and (@ad<="20030311" or @rlad<="20030311") and ad $hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 07:41
S86	129	((connect$4 or link43) same pda same (internet or network or sever) same (computer or laptop or device) and "802.11") and(@ad<="20030311" or @rlad<="20030311") and ad $hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 07:42
S88	5	"617324".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 13:30
S90	1229	"802.11" and tag$4 and frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 13:33
S91	620	S90 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 13:33

S92	158	"802.11" and (tag$4 with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 13:33
S93	98	S92 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:50
S94	29	S92 and(@ad<="20030311" or @rlad<="20030311") and vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 15:39
S95	87	receiv$3 same transmit$3 same frame same (basic adj service adj set) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 16:09
S96	37	S95 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 15:39
S97	1	receiv$3 same transmit$3 same frame same (basic adj service adj set) and "802.11" and vlan and bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 16:22
S98	2	receiv$3 same transmit$3 same frame same (basic adj service adj set) and "802.11" and vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 07:56
S100	159	"802.11" and (tag$4 with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 07:57
S101	99	S100 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 11:25
S102	2	"5884031".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 11:25
S103	292	370/352.ccls. and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 07:18

S104	121	S103 and(@ad< ="20030311" or @rlad< ="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 07:19
S106	5058	pda with (laptop notebook) with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 10:40
S108	3998	pda with (laptop) with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 10:40
S109	420	pda with (laptop) with internet and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 10:41
S110	153	S109 and(@ad< ="20030311" or @rlad< ="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 13:01
S111	42	(connect$4 with pda with internet with (omputer laptop notebook) and "802.11") and (@ad< ="20030311" or @rlad< ="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 13:01
S112	26	translate with first with internet with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 13:01
S113	1	S112 and(@ad< ="20030311" or @rlad< ="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 13:09
S114	19	S112 and(@ad< ="20030311" or @rlad< ="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 15:09
S115	1	S114 and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 16:35
S116	8	simultaneous with (ad$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 11:08

S117	2	"20030054818".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 17:01
S122	1	(basic adj service adj set (BSSS)) with (first adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 08:15
S123	237	(basic adj service adj set (BSSS)) with (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:22
S124	15	S123 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 07:38
S125	96	S123 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 07:44
S126	3	(basic adj service adj set (BSSS)) with (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:34
S127	3	(basic adj service adj set (BSSid)) with (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 13:37
S128	18861	receiv$3 same transmit$4 same tag$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 07:44
S129	9365	receiv$3 with transmit$4 with tag$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 07:44
S130	5007	S129 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 08:16
S131	184	S130 and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 09:22

S132	0	(basic adj service adj set (BSSS)) with (first adj address) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 08:15
S133	204	(basic adj service adj set (BSSS)) with (address) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 08:15
S134	92	S133 and(@ad< = "20030311" or @rlad< = "20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 09:21
S140	2	us-20020059453-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 09:21
S141	705	ad-hoc with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 09:59
S142	320	S141 and(@ad< = "20030311" or @rlad< = "20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:57
S143	136	S142 and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 09:22
S144	5	ad-hoc with internet with relay $3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 09:59
S145	18	(simultaneous concurrent ("same" adj time)) with (ad$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 09:19
S147	10	((basic adj service adj set) (BSSid)) same (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:10
S148	3	((basic adj service adj set) (BSSid)) with (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:21

S149	1596	ip with "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:21
S151	7	(basic adj service adj set (BSSid)) with (ip with packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:31
S152	3	(basic adj service adj set (BSSid)) with (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:34
S153	45	(basic adj service adj set (BSSid)) with ((internet ip) with (address packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:57
S154	97	(basic adj service adj set (BSSid)) same ((internet ip) with (address packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:08
S155	27	S154 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:58
S156	6	frame with (basic adj service adj set (BSSid)) with ((internet ip) with (address packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:11
S157	8	packet with (basic adj service adj set (BSSid)) with ((internet ip) with (address packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:12
S158	37	(simultaneous$2 concurrent$2 (at adj2 "same" adj time))with (ad$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:48
S159	32	(internet ip) with packet with ("802.11" with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:31
S160	78	(connect$4 with (nearby neighbo $1r$4 adjacen$3 close$1by) with (mobile wireless) with internet) and (@rlad<"20030311" @ad<"20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:30

S161	0	(connect$4 with trough with (nearby neighbo$1r$4 adjacen $3 close$1by) with (mobile wireless) with internet) and (@rlad<"20030311" @ad<"20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:30
S162	50	(internet ip) with (packet address) with ("802.11" with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:42
S164	18	S162 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:44
S165	2	(internet ip) with (packet address) with ("802.11" with frame) with (bssid ssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:44
S166	228	different with (bssid ssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:49
S167	71	S166 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 08:49
S168	330	(different chang$3) with (bssid ssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 09:10
S169	103	S168 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 09:11
S170	103	(modify$3 chang$3 updat$3 translat$3 replac$3) with (bssid (basic adj service adj set))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 09:11
S171	44	S170 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 09:20
S172	43	(simultaneous$2 concurrent$2 ("same" adj time)) with (ad$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 09:20

S173	13	S172 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 12:44
S174	217	"802.11" and ad$hoc and (nat (network adj address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:20
S175	90	S174 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 12:49
S176	71	"802.11" and ad$hoc and (nat (network adj address adj translation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 13:50
S177	36	S176 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 13:50
S178	574	"802.11" and (nat (network adj address adj translation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 13:50
S179	267	S178 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:20
S180	48	S179 and Private adj ip adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:18
S181	1611	ip adj packet and (nat network adj address adj translation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:19
S182	194	S181 and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:20
S183	103	S182 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:20

S184	125	"802.11" and wds	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:37
S185	36	S184 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:46
S186	43	(simultaneous$2 concurrent$2 ("same" adj time)) with (ad$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:46
S187	13	S186 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 08:47
S188	41	(US-20050281237-$ or US-20030202505-$ or US-20030156558-$ or US-20060274792-$ or US-20060062187-$ or US-20070036091-$ or US-20070008922-$ or US-20060206944-$ or US-20050254474-$ or US-20050135305-$ or US-20040023652-$ or US-20040077374-$ or US-20060148516-$ or US-20030158891-$ or US-20030140256-$ or US-20030220988-$ or US-20040204031-$ or US-20040166812-$ or US-20040131188-$ or US-20040160903-$ or US-20040203740-$ or US-20040071122-$ or US-20030054818-$ or US-20040179503-$ or US-20060233184-$ or US-20040125778-$).did. or (US-20040125776-$ or US-20060104235-$ or US-20050135422-$ or US-20030087602-$ or US-20060120336-$ or US-20030210700-$ or US-20030167405-$ or US-20020163895-$).did. or (US-7062566-$ or US-7177594-$ or US-7039033-$ or US-5757924-$ or US-7194263-$ or US-7016334-$ or US-7251489-$).	US-PGPUB; USPAT	OR	ON	2007/08/23 11:20

		did.				
S190	20	S188 and encrypt$4	US-PGPUB; USPAT	OR	ON	2007/08/23 11:20
S191	55	pda with (ip adj2 address) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 14:38
S192	26	S191 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 16:19
S193	348	(((internet adj2 address) or ip) adj2 address) and (basic adj service adj set (bssid)) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 16:19
S194	37	(((internet adj2 address) or ip) adj2 address) with (basic adj service adj set (bssid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 16:19
S195	14	S194 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 16:19
S196	37	(((internet adj2 address) or ip) adj2 address) with (basic adj service adj set (bssid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 06:38
S198	7	"377462".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 13:40
S199	20	(group broadcast) near3 (e-mail email) with (send transmi$5) same (reply$5) with (group broadcast) near3 (e-mail email)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 18:49
S200	22470	"802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S201	4735	370/389.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S202	321	370/536.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S203	12288	370/352.ccls..	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S204	19339	(transmit$4 and receiv$3) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S205	7901	S204 and frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S206	1366	S205 and service adj set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S207	1158	S206 and(mac or (medium adj access adj control))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S208	22664	370/913.ccls.and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S209	94	370/913.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S210	95	S207 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S211	8	"242632".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S212	8	"242635".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S213	443	S207 and(@ad< ="20030311" or @rlad< ="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S214	0	"10242635".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S215	19339	(transmit$4 and receiv$3) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S216	7901	S215 and frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S217	1366	S216 and service adj set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S218	1158	S217 and(mac or (medium adj access adj control))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S219	69	S218 and(@ad< ="20030311" or @rlad< ="20030311") and pda and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S220	59	S218 and(@ad< ="20030311" or @rlad< ="20030311") and primary and secondary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S221	86	S218 and(@ad< ="20030311" or @rlad< ="20030311") and primary and (secondary or pda)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S222	2	"20020059453".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S223	75	(modem with emulat$3).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S224	3417	router and wlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S225	1	router and wlan and (basic adj ssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S226	6	S223 and "455"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S227	394	router and wlan and (basic adj service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S228	29	S227 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S229	58	("20020071413" | "20020090593" | "20020090953" | "20020128000" | "20020142652" | "20020181510" | "20020191575" | "20030008644" | "20030032434" | "20030109284" | "20030142652" | "20030174682" | "20030235175" | "20040004951" | "20040053602" | "20040203638" | "20040204071" | "20040220995" | "20040224682" | "5231634" | "6014568" | "6026304" | "6154172" | "6208861" | "6463289" | "6553233" | "6560642" | "6804532").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S230	522	router and "802.11" and ((first adj (basic adj service)or BSSID or SSID)) and ((second adj (basic adj service) or BSSID or SSID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S231	522	router and "802.11" and ((first adj basic adj service)or BSSID or SSID) and ((second adj basic adj service) or BSSID or SSID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S232	53	S230 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S233	53	S231 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S234	2	"20050122927 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S235	2	"20020168993".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S236	2	"20020172186".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S237	2	"20050135304 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S238	15	first adj2 (((internet adj2 protocol) or ip) adj2 address) and (basic adj service adj set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S239	3	"6618369 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S240	2	"20060120334 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S241	14	first adj2 (((internet adj2 protocol) or ip) adj2 address) and (basic adj service adj set) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S242	141	wlan adj2 router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S243	20	S242 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S244	13	(first adj2 (((internet adj2 protocol) or ip) adj2 address)) and (basic adj service adj set) and "802.11" and (second adj2 (((internet adj2 protocol) or ip) adj2 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S245	6	"621557 ".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S246	0	"10621557 ".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S247	2	"6791962 ".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S248	130565	nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S249	2512	(internet adj2 connection ad2 sharing) and "802.11" and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S250	4929	(internet adj2 connection ad2 sharing) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S251	37	(connect$4 same pda same internet same computer and "802.11") and (@ad<="20030311" or @rlad<="20030311") and ad $hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S252	466	(connect$4 same pda same internet same computer and "802.11") and (@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S253	0	(connect$4 same pda same internet same (another or second) adj2 computer and "802.11") and (@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S254	40	(connect$4 same pda same internet same (computer or laptop) and "802.11") and (@ad<="20030311" or @rlad<="20030311") and ad $hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S255	1001	S249 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S256	466	(connect$4 same pda same internet same computer and "802.11") and (@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S257	120	(connect$4 same pda same (internet or network or sever) same (computer or laptop) and "802.11") and (@ad<="20030311" or @rlad<="20030311") and ad $hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S258	138	((connect$4 or link43) same pda same (internet or network or sever) same (computer or laptop or device) and "802.11") and(@ad<="20030311" or @rlad<="20030311") and ad $hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S259	188	"802.11" and (tag$4 with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S260	105	S259 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S261	1526	"802.11" and tag$4 and frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S262	694	S261 and(@ad< ="20030311" or @rlad< ="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S263	5	"617324".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S264	1	receiv$3 same transmit$3 same frame same (basic adj service adj set) and "802.11" and vlan and bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S265	101	receiv$3 same transmit$3 same frame same (basic adj service adj set) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S266	40	S265 and(@ad< ="20030311" or @rlad< ="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S267	30	S259 and(@ad< ="20030311" or @rlad< ="20030311") and vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S268	2	receiv$3 same transmit$3 same frame same (basic adj service adj set) and "802.11" and vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S269	2	"5884031".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S270	188	"802.11" and (tag$4 with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S271	105	S270 and(@ad< ="20030311" or @rlad< ="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S272	358	370/352.ccls. and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S273	130	S272 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S274	438	pda with (laptop) with internet and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S275	5153	pda with (laptop notebook) with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S276	4083	pda with (laptop) with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S277	26	translate with first with internet with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S278	1	S277 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S279	19	S277 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S280	2	"20030054818".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S281	8	simultaneous with (ad$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S282	1	S279 and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S283	154	S274 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S284	42	(connect$4 with pda with internet with (omputer laptop notebook) and "802.11") and (@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S285	242	(basic adj service adj set (BSSS)) with (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S286	96	S285 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S287	15	S285 and(@ad<="20030311" or @rlad<="20030311") and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S288	19117	receiv$3 same transmit$4 same tag$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S289	9529	receiv$3 with transmit$4 with tag$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S290	5021	S289 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S291	3	(basic adj service adj set (BSSS)) with (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S292	3	(basic adj service adj set (BSSid)) with (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S293	714	ad-hoc with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S294	186	S290 and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S295	2	us-20020059453-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S296	322	S293 and(@ad< ="20030311" or @rlad< ="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S297	208	(basic adj service adj set (BSSS)) with (address) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S298	92	S297 and(@ad< ="20030311" or @rlad< ="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S299	10	((basic adj service adj set) (BSSid)) same (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S300	99	(basic adj service adj set (BSSid)) same ((internet ip) with (address packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S301	78	(connect$4 with (nearby neighbo $1r$4 adjacen$3 close$1by) with (mobile wireless) with internet) and (@rlad< "20030311" @ad< "20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S302	37	(simultaneous$2 concurrent$2 (at adj2 "same" adj time))with (ad$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S303	3	((basic adj service adj set) (BSSid)) with (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S304	0	(basic adj service adj set (BSSS)) with (first adj address) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S305	8	packet with (basic adj service adj set (BSSid)) with ((internet ip) with (address packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S306	18	(simultaneous concurrent ("same" adj time)) with (ad$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S307	1638	ip with "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S308	7	(basic adj service adj set (BSSid)) with (ip with packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S309	47	(basic adj service adj set (BSSid)) with ((internet ip) with (address packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S310	28	S300 and(@ad< ="20030311" or @rlad< ="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S311	3	(basic adj service adj set (BSSid)) with (internet adj2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S312	137	S296 and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S313	6	ad-hoc with internet with relay $3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S314	33	(internet ip) with packet with ("802.11" with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S315	6	frame with (basic adj service adj set (BSSid)) with ((internet ip) with (address packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S316	1	(basic adj service adj set (BSSS)) with (first adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S317	106	(modify$3 chang$3 updat$3 translat$3 replac$3) with (bssid (basic adj service adj set))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S318	43	(simultaneous$2 concurrent$2 ("same" adj time)) with (ad$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S319	13	S318 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S320	235	different with (bssid ssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S321	71	S320 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S322	51	(internet ip) with (packet address) with ("802.11" with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S323	2	(internet ip) with (packet address) with ("802.11" with frame) with (bssid ssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S324	339	(different chang$3) with (bssid ssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S325	103	S324 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S326	44	S317 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S327	18	S322 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S328	0	(connect$4 with trough with (nearby neighbo$1r$4 adjacen $3 close$1by) with (mobile wireless) with internet) and (@rlad<"20030311" @ad<"20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S329	225	"802.11" and ad$hoc and (nat (network adj address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S330	92	S329 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S331	75	"802.11" and ad$hoc and (nat (network adj address adj translation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S332	37	S331 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S333	593	"802.11" and (nat (network adj address adj translation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S334	269	S333 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S335	1631	ip adj packet and (nat network adj address adj translation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S336	201	S335 and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S337	104	S336 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S338	48	S334 and Private adj ip adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S339	125	"802.11" and wds	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S340	36	S339 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S341	41	(US-20050281237-$ or US-20030202505-$ or US-20030156558-$ or US-20060274792-$ or US-20060062187-$ or US-20070036091-$ or US-20070008922-$ or US-20060206944-$ or US-20050254474-$ or US-20050135305-$ or US-20040023652-$ or US-20040077374-$ or US-20060148516-$ or US-20030158891-$ or US-20030140256-$ or US-20030220988-$ or US-20040204031-$ or US-20040166812-$ or US-20040131188-$ or US-20040160903-$ or US-20040203740-$ or US-20040071122-$ or US-20030054818-$ or US-20040179503-$ or US-20060233184-$ or US-20040125778-$).did. or (US-20040125776-$ or US-20060104235-$ or US-20050135422-$ or US-20030087602-$ or US-20060120336-$ or US-20030210700-$ or US-20030167405-$ or US-20020163895-$).did. or (US-7062566-$ or US-7177594-$ or US-7039033-$ or US-5757924-$ or US-7194263-$ or US-7016334-$ or US-7251489-$).did.	US-PGPUB; USPAT	OR	ON	2007/09/06 09:14
S342	20	S341 and encrypt$4	US-PGPUB; USPAT	OR	ON	2007/09/06 09:14
S343	43	(simultaneous$2 concurrent$2 ("same" adj time)) with (ad$hoc independent) with infrastructure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14

S344	13	S343 and(@ad< ="20030311" or @rlad< ="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S345	55	pda with (ip adj2 address) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S346	38	(((internet adj2 address) or ip) adj2 address) with (basic adj service adj set (bssid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S347	15	S346 and(@ad< ="20030311" or @rlad< ="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S348	354	(((internet adj2 address) or ip) adj2 address) and (basic adj service adj set (bssid)) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S349	26	S345 and(@ad< ="20030311" or @rlad< ="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S350	38	(((internet adj2 address) or ip) adj2 address) with (basic adj service adj set (bssid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S351	7	"377462".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S352	20	(group broadcast) near3 (e-mail email) with (send transmi$5) same (reply$5) with (group broadcast) near3 (e-mail email)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S353	5	"617324".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 16:38
S354	16	wireless adj router with nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 10:57

S355	69740	tag$3 with (body payload data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 12:31
S356	24819	tag$3 with (frame body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 12:36
S357	13985	tag$3 near4 (frame body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 12:36
S358	3984	tag$3 adj2 (frame body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 12:36
S359	69	S358 and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 12:37
S360	2	S359 and nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 12:38
S361	1664	sap and nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 13:10
S362	33	sap with nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 13:10
S363	33	(service adj access adj point) with nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 13:13
S364	57	"802.11" and roam$3 with nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 13:41
S365	0	"802.11" and ad$hoc with nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 13:47

S366	7	ad$hoc with nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 13:47
S367	3	pseudo$dhcp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 14:03
S368	31	dhcp with pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 14:06
S369	835	("802.11" wlan) and nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 14:21
S370	93	S369 and ad$hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 14:21
S371	37	S370 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 14:21
S372	613	nested near3 tag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 15:46
S373	399	S372 and(@ad<="20030311" or @rlad<="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 15:47
S374	6	S373 and (wlan "802.11")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 15:47
S375	6056	(encapsulat$3 nest$3) with (tag $3 label$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 15:59
S376	154	S375 and (wlan "802.11")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 16:00

S377	56	S376 and(@ad< ="20030311" or @rlad< ="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 16:00
S378	108	(tag$3 label$3) with before with (encapsulat$3 nest$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 16:11
S379	70	S378 and(@ad< ="20030311" or @rlad< ="20030311")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 16:12
S380	27	(tag$4 label$3) with (identifi$6) with (bssid (service adj set adj identifi$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 08:26
S381	1	(tag$4 label$3) with (represent $3) with (bssid (service adj set adj identifi$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 08:55
S382	0	(tag$4 label$3) with (relat$3) with (bssid (service adj set adj identifi$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 08:56
S383	0	(tag$4 label$3) with (correspond $3) with (bssid (service adj set adj identifi$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 08:57
S384	24	(tag$4 label$3) with (correspond $3 exemplify$3 serv$3 denot$3) with (bssid (service adj set adj identifi$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 08:58
S385	3	(encapsulat$3) with (identif$7 correspond$3 exemplify$3 serv $3 denot$3) with (bssid (service adj set adj identifi$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 09:12
S386	72	(connect3 communicat$3 transmit$4) with (pda) with (through via) with (laptop (portable adj computer)) with (ap (access adj point))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 09:16
S387	252	(bssid (basic adj service adj set)) and (ip internet) near3 address and (tag$4 label$3 encapsulat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 10:22

S388	7	((bssid (basic adj service adj set)) and (ip internet) near3 address and (tag$4 label$3 encapsulat$3)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 10:25
S390	2	"20030142684".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 12:40
S391	2	"20030142684".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 12:40
S394	2	"20040095932".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 12:43
S395	2	"20040151193".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 12:45
S396	2	"20040190477".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 12:48
S397	2	"20040255033".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 12:50
S398	2	"20060062187".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 12:50
S399	2	"20070025349".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 12:51
S400	2	"6618398".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 12:53
S401	2	"7046666".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 12:54

S403	10	6038233-$.DID. OR 20030185236-$.DID. US-7159242-$.DID. OR US-20020009088-$.DID. OR US-20040052259-$.DID. OR US-6055236-$.DID. OR US-20060013211-$.DID. 11/082981.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 13:42
S404	14	US-6038233-$.DID. OR US-20030185236-$.DID. or US-7159242-$.DID. OR US-20020009088-$.DID. OR US-20040052259-$.DID. OR US-6055236-$.DID. OR US-20060013211-$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 13:44
S405	2	"6266707".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 14:04
S406	380	tag with frame with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 14:10
S407	11	S406 and ("802.11" wlan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 14:11
S408	2	"5742604".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 14:20

3/20/2008 10:58:30 AM
C:\ Documents and Settings\ gvianadiprisco\ My Documents\ EAST\ Workspaces\ 10617324.wsp